




## CONNECTING LINK

### TECHNICAL PARAMETERS



Product Code	WLL (Ton)	B.L. (Ton)	A (mm)	B (mm)	C (mm)	L mm	K (mm)	H (mm)	M (mm)	N (mm)	Ø (mm)
8-SLR074-06	1.12	4.48	15.5±1	7.5±0.5	17.4±1	54±2.5	39±2	7±0.5	42±2	11±1	
8-SLR074-7	1.5	6	20±1	8.3±0.5	22.2±1	73±2.5	54±2	8.3±0.5	54±2	12.6±1	13
8-SLR074-7/8	2	8	20.5±1	9±0.5	24±1	77±2.5	58±2	8.5±0.5	55±2	13±1	13.6
8-SLR074-8	2	8	19.5±1	9.5±0.5	23±1	77±2.5	58±2	8.5±0.5	55±2	13.6±1	14.5
8-SLR074-10	3.15	12.6	26±1	12±0.5	28.5±1	92±2.5	69±2	11.5±1	69±2	17.8±1	18.5
8-SLR074-13	5.3	21.2	30±1.5	15±0.5	35±1.5	115±3	85±2.5	15±1	86.6±2	23±1	24.5
8-SLR074-16	8	32	35±1.5	19.8±0.5	39±1.5	142±3	85±2.5	19.8±1	103±2.5	28±1.5	28
8-SLR074-18	10	40	38±1.5	21±1	42±1.5	151±3	109±3	21±1	111±2.5	32±1.5	34
8-SLR074-20	12.5	50	41.8±1.5	24±1	46±1.5	166±3	118±3	22±1	120±2.5	34±1.5	33.4
8-SLR074-22	15	60	49.5±1.5	26±1	57±1.5	190±3	140±3	26.8±1	147±3	40±1.5	38
8-SLR074-26	21.2	84.8	58±2	31±1	67.5±2	220±3.5	161±3	30±1.5	174±3	42±1.5	42
8-SLR074-32	31.5	126	67.5±2	38±1	84.5±2	281±3.5	201±3.5	37±1.5	214±3.5	51±2	55

Higher sizes are available on request. Due to continual development of products, manufacturer reserve the right to modify design, dimensional parameters and component material without prior notice