




MINING CHAIN



- **Material:** High Alloy Steel
- **Breaking Elongation:** 12% Max
- **Finish:** Rust Preventive Oil Coating



TECHNICAL PARAMETERS

Product Code	Chain Dia	Pitch of Chain Link	Width		Curve Radius	Testing Load		Breaking Load		Weight
			Inside Min.	Outside Max.		Class 1	Class 2	Class 1	Class 2	
	mm	mm	mm	mm	mm	kN	kN	kN	kN	kg/Mtr
KMLC0810040	10 ±0.4	40 ±0.5	12	34	15 ±2.0	85	100	110	130	1.93
KMLC0814050	14 ±0.4	50 ±0.5	17	48	22 ±2.0	150	200	200	250	4.0
KMLC0818064	18 ±0.5	64 ±0.6	21	60	28 ±2.0	260	330	330	410	6.6
KMLC0822086	22 ±0.7	86 ±0.9	26	74	34 ±2.0	380	490	490	610	9.5
KMLC0824086	24 ±0.8	86 ±0.9	28	79	37 ±2.0	460	580	580	720	11.6
KMLC0826092	26 ±0.8	92 ±0.9	30	86	40 ±2.0	540	680	680	850	13.7
KMLC0830108	30 ±0.9	108 ±1.0	34	98	46 ±2.0	710	900	900	1130	18.0
KMLC0834126	34 ±0.9	126 ±1.0	38	109	52 ±2.0	900	1160	1140	1450	22.7

Due to progressive development of products, KEPRO reserve the right to alter the specifications shown within this catalogue without notice.